



ПЕРЧАТКИ РАБОЧИЕ 6077

МАТЕРИАЛ

- ладонь: синтетическая кожа, силикон
- манжета: термопластичная резина (TPR)
- тыльная сторона: полиэстер

ОПИСАНИЕ

- защита от порезов ANSI 5
- антивибрационные вставки на ладони
- защитная подкладка ладони из HPPE и стальной нити
- махровая вставка для удаления пота и влаги
- уплотнённая зона TPR на запястье
- тыльная сторона из спандекса с сетчатой вставкой
- тацскрин функция у 3-х пальцев
- усиленные швы: кончики пальцев, указательный и большой пальцы
- защитная накладка между большим и указательным пальцем
- логотип из PVC
- PVC принт
- эмблема из PVC с объемным логотипом
- регулируемая U-образная застёжка совместима с наручными часами
- лейбл из полиэстера

- упаковка товара в индивидуальный зип-пакет с брендированием



АНТИВИБРАЦИОННЫЕ ВСТАВКИ НА ЛАДОНИ

The logo for HandLandy, featuring the word "HANDLANDY" in a bold, sans-serif font, with a stylized circuit board graphic integrated into the letters.

ANTI CUT



cost



1

2000

10000

123

The logo for HandLandy is displayed on a dark, textured background. The word "HANDLANDY" is written in a bold, yellow, sans-serif font. Below the text, there is a yellow graphic element consisting of a horizontal line with a small circle at its right end, and a diagonal line extending downwards and to the left from the horizontal line, ending in another small circle.

WOLANDY®

The logo for HandLandy is displayed on a dark, textured background. The word "HANDLANDY" is written in a bold, yellow, sans-serif font. Below the text, there is a stylized yellow graphic consisting of a horizontal line with several small circles at the ends and a diagonal line branching off to the right, resembling a circuit board or a stylized 'L'.

HANDLANDY

H2O[®]

HANDLANDY

EN388

[XL] 

6077 2442E
EN ISO 21420:2020

EN388:2016+A1:2018

LOT NO.:P106



ЭТО ПРЕМИУМ.
ЭТО STONEBLACK.